



Appendix A: Approved Products List

PRODUCT / DESCRIPTION	PRIMARY PRODUCTS LISTING			ALTERNATE PRODUCTS LISTING	
	MNFR	PRODUCT NUMBER	COMMENT	MNFR	PRODUCT NUMBER
27 05 28 - TELECOMMUNICATIONS BUILDING PATHWAYS					
Innerduct, PVC ISP Type, Corrugated, 0.75", 1" & 1.25" ID	Carlton		-	Arnco, Endot, Carlton/Pyramid	-
Cable Basket	B-Line	"WB-EC" series pathway	-	Cablofil GS Metals Chalfant	"E-Z Tray" series pathway "Flextray" series pathway "Wire Mesh" series pathway
Cable Hangers	B-Line	BCH12, BCH21, BCH32	-	Erico Panduit	CAT12, CAT21, CAT32 JMjH2-X20, JMjH2W-X20
Ceiling Clip, with Wire	Hilti	CC27 X-AL-H22P8T	-	Allowed	-
Linear Ring System / "SnakeTray 201"	CMS	SnakeTray201	-	Allowed	-
27 11 00 - TELECOMMUNICATIONS ROOMS					
Equipment Rack, 2-Channel, 8-Foot, Black	CPI	46353-715	"Universal" type	CPI B-Line	55053-115
Equipment Rack, Wall-Mount Swing-Out, 27 RMU, 25" D, Black	CPI	11807-725	-	None	-
Equipment Rack, Wall-Mount Swing-Out, 41 RMU, 25" D, Black	CPI	11792-725	-	None	-
Vertical Mngt Section, 8'-0"H x 6"W, Double Sided, Black	CPI	30162-715	-	None	-
Horizontal Mngt Panel, 1 RMU, Doubled Sided	CPI	30529-719	-	None	-
Overhead Cable Support	CPI	varies - Universal Cable Runway series	Either basket or runway - Refer to Section 16703 for cable basket	Allowed	-
27 13 10 - BACKBONE ISP CABLING					
Cable, ISP, Multipair, Shielded/ARMM-Type	Superior Essex SYSTIMAX	"AR" series "ARMM Riser Cable" series	-	Allowed	-
Cable, ISP, Multipair, Non-shielded Type, Non-plenum	General Cable Superior Essex SYSTIMAX	"Category 3 Data Cables" Helix/HiTemp series "Category 3 CMR" series "1010" series	-	Allowed	-
Cable, ISP, Multipair, Non-shielded Type, Plenum	General Cable Superior Essex SYSTIMAX	"Category 3 Data Cables" Helix/HiTemp series "Category 3 CMP" series "2010" series	-	Allowed	-
Patch Panel --> refer to 27 15 13			-		-
			-		-
Cable, ISP/Riser OFNR, 12-strand multimode 50/125	Corning	12C81-33131-24	-	Allowed	-
Cable, ISP/Riser OFNR, 12-strand singlemode	Corning	12E81-33131-24	-	Allowed	-
Cable, ISP/Plenum OFNP, 12-strand multimode 50/125	Corning	12C88-33131-29	-	Allowed	-
Cable, ISP/Plenum OFNP, 12-strand singlemode	Corning	12E88-33131-29	-	Allowed	-
Fiber Optic Patch Panel, Rack-Mount / 1 RMU	Uniprise	RFE-FXG-EMT	-	Corning	CCH-01U, CCH-02U
Fiber Optic Patch Panel, Rack-Mount / 2 RMU, 4 plates	Corning	CCH-02U	-	Allowed	-
Fiber Optic Patch Panel, Wall-Mount, 2 plates	Corning	WCH-02P	-	Allowed	-
Fiber Optic Patch Panel, Wall-Mount, 4 plates	Corning	WCH-04P	-	Allowed	-
Adapter Plate - 3 SC/Duplex adapters, aqua (MM 50/125)	Corning	CCH-CP06-E7	-	Allowed	-
Adapter Plate - 6 SC/Simplex adapters, blue (SM)	Corning	CCH-CP06-3C	-	Allowed	-
Connector, SC multimode, black	Corning	95-050-48	-	Allowed	-
Connector, SC Singlemode, blue	Corning	95-250-08	-	Allowed	-



Appendix A: Approved Products List

PRODUCT / DESCRIPTION	PRIMARY PRODUCTS LISTING			ALTERNATE PRODUCTS LISTING	
	MNFR	PRODUCT NUMBER	COMMENT	MNFR	PRODUCT NUMBER
Battery Pack (for extended run time)	APC	UXBP48	-	N/a	-
Phone terminal / VoIP telephone	Siemens	Opti-Point 420 Standard	-		